## **Spherical roller bearings**

LT190118 MA/VR190118


## 22314 CAC3W33

Main boundary dimensions (mm)			
d	70		
D	150		
В	51		

Technical data				
Pagin load ratings (kN)		C <sub>r</sub>	405	
Basic load ratings (kN)	Stat.	C <sub>or</sub>	421	
Mass (kg)			4,47	
Cage material			Brass	
	r <sub>1</sub>		2,1	
Padius min (mm)		<b>r</b> <sub>2</sub>	2,1	
Radius min (mm)	<b>r</b> <sub>3</sub>		-	
		r <sub>4</sub>	-	
Precision class			P0	
е			0,35	
Bearing clearance (mm)			C3	
Configuration/Design			223/CA/W33	

## **Technical notes**

- Reference speed 3300 rpm
- Limiting speed 3800 rpm
- Double pronged machined brass cage
- Annular groove and lubrication holes in outer ring
- For general industry purpose



Also refer to RKB Affidavit of Conformance (LJSA) for related compliance to International Standards.

Every care has been taken to ensure the accuracy of the information in the present drawing but no liability can be accepted for any errors or omissions contained herein, or in case losses and/or damages (direct, indirect, consequential) should occur.

RKB Bearing Industries reserves the right of any amendment without notice.

